

	Trade Name	INCI Name	%	Supplier	Function
1	DI Water	Water	94.80		Diluent
2	Rheofix 235	Acrylic Acid VP Crosspolymer	0.80	TINCI	2 in 1 Thickener, Film former
3	Elastyle 30M	Acrylates Copolymer	3.00	TINCI	Styling agent
4	4Na EDTA	Tetrasodium EDTA	0.05		Chelating Agent
5	Sodium Hydroxide 50%	Sodium Hydroxide	1.05		pH adjuster
6	Troycare FE02	Iodopropynyl Butylcarbamate, Phenoxyethanol	0.30	Arxada	Preservative



**HARD HOLD & LONG LASTING
STYLING GEL**
TNTN01083HC275A3

Formulation Features:

Oil free, strong holding power and non-sticky ,easy to style.

Functional Ingredients:

Rheofix 235- Film former, rheology modifier

- Hair styling enhancer

Elastyle 30M

- Hard hold styling agent
- can be widely used in hair styling gels, hair masks, hair waxes, pomades



*Suggested active ingredients:

1. **Amino Acid Complex** - Strengthen hair bulb

Procedure:

- 1.Sprinkle item 2 onto water, start strong agitation until fully hydrated.
- 2.Add in item 3 and 4, gentle stir until well incorporate.
- 3.Adjust pH.

Product Properties @ 25°C:

Appearance : Clear viscous gel

Viscosity (RVT, sp 7, 10 rpm): 100000-150000cps

pH: 6.50-7.00

Stability Test:

- Passed 3 months RT and 45C oven test

Remarks:



Contact Us
csr@technecture.com

